

## **Restaurant Inspections – May 2016**

The City of Seguin Planning/Codes Department Environmental Health Supervisor is responsible for performing inspections at every retail food establishment located inside the city limits. Each establishment will be inspected every 6 months, and includes restaurants, school cafeterias, grocery stores, convenience stores, hotels and bars.

### **ELEVEN DEMERITS:**

- El Olvido Hacienda-632 E. Kingsbury St. (5/23)  
Food managers certification has expired  
Bulk food bin is not labeled  
Using a food scoop that does not have a handle  
Product in the walk in refrigerator is not covered  
Gap at the bottom of the rear exit door  
Leak on the water line at the dish machine  
Floor in the food prep. area has rough concrete  
Walls and ceiling in the food prep. area has dust accumulation

### **EIGHT DEMERITS:**

- Chicken Express-910 S. 123 Bypass (5/13)  
Floor is dirty under the front counter and under the ice maker  
Fry baskets have tape on the handles  
Employees food and drink are in the walk in refrigerator  
Box of cups located on the floor  
Bulk food containers are dirty
- El Ranchito Restaurant-983 N. 123 Bypass (5/19)  
Refrigerator does not have a thermometer  
Counter top is in poor condition and is not easily cleanable  
Shelves for tea glasses are in poor condition and not easily cleanable  
Utensils stored on a soiled towel  
Leak on the drain at the three compartment sink  
Floor is dirty along the baseboards  
Roof leak around the vent hood in the dish washing area  
Wire rack shelves are dirty  
Managers certification is expired

### **SEVEN DEMERITS:**

- Quick Stop Chevron-2901 FM 78 (5/11)  
Tacos are self serve, packaged and not properly labeled  
Coffee stirrers are not wrapped or dispensed from a dispenser  
Ice bags are not labeled  
Dish washing sink is dirty

- Las Palmas Restaurant-724 W. Court St. (5/17)  
Sanitizer bucket is not labeled  
Products located on the floor of the walk in refrigerator and in the storage area  
Broken toilet in the women's restroom  
Inspection report is not posted  
Hole in the wall in the storage area
- Chupacabra Java-1117 E. Court St. (5/18)  
Bottom of the refrigerator is dirty  
Personal medications stored in the food prep. area  
Food managers certification is not posted

### **SIX DEMERITS:**

- Pic N Pac #13-105 N. King St. (5/2)  
Dish washing sink is dirty  
Mold inside of the ice maker  
Automatic towel dispenser in the men's restroom is not working
- MS Quick Stop-920 W. Kingsbury St. (5/9)  
Front entry door does not close properly  
Ceiling in the walk in refrigerator is dirty  
Coffee stirrers are not wrapped or dispensed from a dispenser  
No towels at the hand washing sink  
Old tires next to the garbage dumpster  
Tree limbs hanging over the building
- Giuseppe Italian Restaurant-3003 N. 123 Bypass (5/11)  
Lights are missing the shields  
Spray arm extends below the flood rim of the sink  
Refrigerator does not have a thermometer
- Court Street Coffee Shop-111 W. Court St. (5/16)  
City food establishment license and managers certification are not posted  
No towels at the employee hand washing sink  
Refrigerator temp. at 48 F
- The Power Plant-2006 Stockdale Hwy (5/23)  
Ceiling over the patio bar is dirty  
Patio bar sinks are dirty  
Boxes of styro trays are located on the floor  
Refrigerator does not have a thermometer  
Floor under the cooking equipment has grease accumulation  
Employees drink container is located with clean utensils  
Employee is not wearing a hair restraint  
Floor in the walk in refrigerator is dirty  
A/C vents in the dish washing area are dirty  
Refrigerator is dirty

- Los Cucos Mexican Cafe-920 E. IH 10 (5/24)  
Spray bottle is not labeled  
Inspection report notification is not posted  
Leaking water faucet on the outside of the building  
Light shields are missing the end caps

#### **FIVE DEMERITS:**

- Frankie's Food Mart-912 W. Kingsbury St. (5/2)  
Coffee stirrers are not wrapped or dispensed from a dispenser  
Refrigerator does not have a thermometer  
Restroom vent is not working  
Exhaust fan in the storage area is not screened to prevent insect entry
- Davila's Bar-B-Que-418 W. Kingsbury St. (5/11)  
Food managers certification is not complete  
Rough concrete on the floor in the food prep. area  
Food license and inspection report are not posted
- The Park Plaza Hotel-217 S. River St. (5/24)  
Food establishment license is not posted  
Floor drain is dirty  
Products on the floor in the walk in refrigerator  
Ice scoops located on top of the ice maker  
Light in the vent hood does not have a shield
- Mimi's Mini Mart-114 E. Court St. (5/31)  
May 31, 2016-5 demerits  
Tacos obtained from an unapproved source  
Managers certification is not posted  
Personal items stored in the facilities

#### **FOUR DEMERITS:**

- Sonic Drive Inn #1-921 W. Kingsbury St. (5/4)  
Floor has rough and cracked concrete  
Ceiling has damage  
Inspection report is not posted  
Gap at the bottom of the rear door
- Rosie's Pizza To Go-427 W. Kingsbury St. (5/9)  
Storage cabinets are dirty  
Top of the soft drink refrigerator is dirty  
Dough racks are dirty  
Utensils are not being properly washed
- Quick Taco #4-350 N. 123 Bypass (5/17)  
Hand washing sink in the restroom is dirty  
City food establishment license is not posted

Wall in the food prep. area is dirty  
No hot water at one hand washing sink  
Food managers certification is not posted

**THREE DEMERITS:**

- Pape Pecan House #2-5440 S. 123 Bypass (5/12)  
Provide annual test on the water well
- Rusty Rooster-1056 E. Court St. (5/12)  
Door track at the drive thru window is dirty  
Floor drain is dirty  
No test kit for sanitizer
- Wal Mart #901-550 S. 123 Bypass (5/27)  
Employees personal items stored with utensils in the bakery  
Floor drain is dirty  
Frost accumulation in the walk in freezer  
Missing floor tiles in the deli area

**TWO DEMERITS:**

- Hampton Inn-1130 Larkin Dr. (5/4)  
Faucet at the three compartment sink does not extend to the first and third compartments  
Coffee stirrers are not wrapped or dispensed from a dispenser
- Seguin Donuts-1500 E. Court St. (5/5)  
Coffee stirrers are not wrapped or dispensed from a dispenser  
Employee is not wearing a hair restraint
- Texas Cooler-506 N. Austin St. (5/6)  
City food establishment license is not posted  
Coffee stirrers are not wrapped or dispensed from a dispenser

**ZERO DEMERITS:**

- Fruit-Tisimo-769 W. Court St. (5/16)
- Gift & Gourmet-212 S. Austin St. (5/18)
- Guadalupe Regional Medical Center-1215 E. Court St. (5/20)